


Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 03 [upper] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall1]

(W) 36" x (H) 30" x (D) 32"
 left scribe: 0" right scribe: 0"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)




OPENING	DESCRIPTION	WIDTH	HEIGHT			
OPENINGS						
A	Door (pair)	33"	x 25 1/2"			
OPENING	DESCRIPTION	WIDTH	HEIGHT	DADO DEPTH	DADO LOCATION (From bottom of opening)	
SHELF OPENINGS						
1B	Open	34 1/2"	x 8 1/8"	1/4"	16 5/8"	
1A	Open	34 1/2"	x 7 3/4"	1/4"	8 1/8"	
OPENING	QTY	DESCRIPTION				
DOORS / DRAWER-FRONTS						
A	2	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 16 7/8"W x 26 1/2"H x 3/4"T				
SIDE	QTY	DESCRIPTION				
PLANT-ONS						
left	1	3/4"double compound arch frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 31 3/4"W x 96"H x 3/4"T				
QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL	
FACE FRAME						
1	3"	x 33"	x 3/4"	Top Rail	Red Oak	
1	1 1/2"	x 96"	x 3/4"	Right Stile	Red Oak	
1	1 1/2"	x 96"	x 3/4"	Left Stile	Red Oak	
1	1 1/2"	x 33"	x 3/4"	Bottom Rail	Red Oak	
BOX PARTS						
1	35"	x 28 1/4"	x 1/4"	Back	Melamine (white 1-sided)	
1	31 3/4"	x 96"	x 3/4"	Left Plant-On	see plant-on properties	
1	31 1/4"	x 96"	x 3/4"	Right Panel	Red Oak Plywood	
1	31 1/4"	x 35"	x 3/4"	Top	Melamine (white 1-sided)	
1	31 1/4"	x 35"	x 3/4"	Bottom	Melamine (white 1-sided)	
2	30 1/4"	x 35"	x 3/4"	Fixed Shelf	Melamine (white 2-sided)	
2	4"	x 34 1/2"	x 3/4"	Nailer	Particle Board	

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 06 [upper] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall1]

(W) 16" x (H) 42" x (D) 12"
 left scribe: 1/4" right scribe: 1/4"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)



OPENING	DESCRIPTION	WIDTH	HEIGHT
OPENINGS			
A	Door (single)	13 1/2"	x 37 1/2"

OPENING	DESCRIPTION	WIDTH	HEIGHT	DADO DEPTH	DADO LOCATION (From bottom of opening)
SHELF OPENINGS					
1B	Open	14"	x 12 1/8"	1/4"	24 5/8"
1A	Open	14"	x 11 3/4"	1/4"	12 1/8"

OPENING	QTY	DESCRIPTION
DOORS / DRAWER-FRONTS		
A	1	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 14 1/2"W x 38 1/2"H x 3/4"T

QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
FACE FRAME					
1	3"	x 13 1/2"	x 3/4"	Top Rail	Red Oak
1	1 1/2"	x 13 1/2"	x 3/4"	Bottom Rail	Red Oak
1	1 1/4"	x 42"	x 3/4"	Right Stile	Red Oak
1	1 1/4"	x 42"	x 3/4"	Left Stile	Red Oak


QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
BOX PARTS					
1	14 1/2"	x 40 1/4"	x 1/4"	Back	Melamine (white 1-sided)
1	11 1/4"	x 41 1/4"	x 3/4"	Right Panel	Melamine (white 1-sided)
1	11 1/4"	x 41 1/4"	x 3/4"	Left Panel	Melamine (white 1-sided)
1	11 1/4"	x 14 1/2"	x 3/4"	Top	Melamine (white 1-sided)
1	11 1/4"	x 14 1/2"	x 3/4"	Bottom	Melamine (white 1-sided)
2	10 1/4"	x 14 1/2"	x 3/4"	Fixed Shelf	Melamine (white 2-sided)
2	4"	x 14"	x 3/4"	Nailer	Particle Board

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 01 [base] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall2]

(W) 36" x (H) 34 1/2" x (D) 36"
 left scribe: 1/4" right scribe: 1/4"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)



OPENING	DESCRIPTION	WIDTH	HEIGHT			
OPENINGS						
A (right)	Door (single)	10 3/4"	x 26 1/2"			
A (left)	Door (single)	10 3/4"	x 26 1/2"			
OPENING	DESCRIPTION	WIDTH	HEIGHT	DADO DEPTH	DADO LOCATION	
SHELF OPENINGS						
A1 (L & R)	Open	10 3/4"	x 32"	1/4"	12 7/8"	
OPENING	QTY	DESCRIPTION				
DOORS / DRAWER-FRONTS						
A (left)	1	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 10 1/2"W x 27 1/2"H x 3/4"T				
A (right)	1	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 10 1/2"W x 27 1/2"H x 3/4"T				
QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL	
FACE FRAME						
1	2 1/2"	x 11 1/2"	x 3/4"	Corner Top Rail	Red Oak	
1	2 1/2"	x 10 3/4"	x 3/4"	Top Rail	Red Oak	
1	1 1/2"	x 11 1/2"	x 3/4"	Corner Bottom Rail	Red Oak	
1	1 1/2"	x 10 3/4"	x 3/4"	Bottom Rail	Red Oak	
1	1 1/4"	x 30 1/2"	x 3/4"	Corner Left Stile	Red Oak	
1	1 1/4"	x 30 1/2"	x 3/4"	Right Stile	Red Oak	
BOX PARTS						
1	35 1/4"	x 35 1/4"	x 3/4"	Bottom	Melamine (white 1-sided)	
1	34 1/2"	x 29 1/4"	x 1/4"	Corner Back	Melamine (white 1-sided)	
1	34 1/4"	x 34 1/4"	x 3/4"	Fixed Shelf	Melamine (white 2-sided)	
1	34 1/4"	x 29 1/4"	x 1/4"	Back	Melamine (white 1-sided)	
1	23 1/4"	x 29 3/4"	x 3/4"	Right Panel	Melamine (white 1-sided)	
1	23 1/4"	x 29 3/4"	x 3/4"	Corner Left Panel	Melamine (white 1-sided)	
1	4 3/4"	x 36"	x 3/4"	Corner Back Toe Kick	Particle Board	
1	4 3/4"	x 33 1/4"	x 3/4"	Back Toe Kick	Particle Board	
3	4 3/4"	x 18 1/4"	x 3/4"	Corner Sleeper	Particle Board	
3	4 3/4"	x 17 1/2"	x 3/4"	Sleeper	Particle Board	

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

ASSEMBLY SHEET FOR CAB 01


QTY	SIZE			PART	MATERIAL	
BOX PARTS (continued)						
1	4 3/4"	x	15 3/4"	x 3/4"	Corner Toe Kick	Particle Board
1	4 3/4"	x	15"	x 3/4"	Front Toe Kick	Particle Board
2	4"	x	34"	x 3/4"	Corner Nailer	Particle Board
2	4"	x	33 1/4"	x 3/4"	Nailer	Particle Board
2	4"	x	29 1/4"	x 3/4"	Corner Stretcher	Particle Board
2	4"	x	11 3/4"	x 3/4"	Stretcher	Particle Board

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 02 [upper] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall2]

(W) 24" x (H) 42" x (D) 24"
 left scribe: 1/4" right scribe: 1/4"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)



A2(L & R)	OPENING	DESCRIPTION	WIDTH	HEIGHT
OPENINGS				
	A (right)	Door (single)	10 3/4"	x 37 1/2"
	A (left)	Door (single)	10 3/4"	x 37 1/2"

OPENING	DESCRIPTION	WIDTH	HEIGHT	DADO DEPTH	DADO LOCATION
SHELF OPENINGS					
A2 (L & R)	Open	10 3/4"	x 93"	1/4"	24 5/8"
A1 (L & R)	Open	10 3/4"	x 0"	1/4"	12 1/8"

OPENING	QTY	DESCRIPTION
DOORS / DRAWER-FRONT		
A (left)	1	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 10 1/2"W x 38 1/2"H x 3/4"T
A (right)	1	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 10 1/2"W x 38 1/2"H x 3/4"T

QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
FACE FRAME					
A1(L & R)	3"	x 11 1/2"	x 3/4"	Corner Top Rail	Red Oak
1	3"	x 10 3/4"	x 3/4"	Top Rail	Red Oak
1	1 1/2"	x 11 1/2"	x 3/4"	Corner Bottom Rail	Red Oak
1	1 1/2"	x 10 3/4"	x 3/4"	Bottom Rail	Red Oak
1	1 1/4"	x 42"	x 3/4"	Corner Left Stile	Red Oak
1	1 1/4"	x 42"	x 3/4"	Right Stile	Red Oak


BOX PARTS					
1	23 1/4"	x 23 1/4"	x 3/4"	Top	Melamine (white 1-sided)
1	23 1/4"	x 23 1/4"	x 3/4"	Bottom	Melamine (white 1-sided)
1	22 1/2"	x 40 1/4"	x 1/4"	Corner Back	Melamine (white 1-sided)
1	22 1/4"	x 40 1/4"	x 1/4"	Back	Melamine (white 1-sided)
2	22 1/4"	x 22 1/4"	x 3/4"	Fixed Shelf	Melamine (white 2-sided)
1	11 1/4"	x 41 1/4"	x 3/4"	Right Panel	Melamine (white 1-sided)
1	11 1/4"	x 41 1/4"	x 3/4"	Corner Left Panel	Melamine (white 1-sided)
2	4"	x 22"	x 3/4"	Corner Nailor	Particle Board
2	4"	x 21 1/4"	x 3/4"	Nailor	Particle Board

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 04 [full-height] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall2]

(W) 20" x (H) 96" x (D) 25"
 left scribe: 0" right scribe: 0"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)



OPENING	DESCRIPTION	WIDTH	HEIGHT
OPENINGS			
A	Door (single)	17"	x 42 5/8"
B	Door (single)	17"	x 42 5/8"

OPENING	DESCRIPTION	WIDTH	HEIGHT	DADO DEPTH	DADO LOCATION (From bottom of opening)
SHELF OPENINGS					
1B	Open	18 1/2" x	13 53/64"	1/4"	28 3/64"
1A	Open	18 1/2" x	13 29/64"	1/4"	13 53/64"
2B	Open	18 1/2" x	13 53/64"	1/4"	28 3/64"
2A	Open	18 1/2" x	13 29/64"	1/4"	13 53/64"

OPENING	QTY	DESCRIPTION
DOORS / DRAWER-FRONTS		
B	1	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 18"W x 43 5/8"H x 3/4"T
A	1	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 18"W x 43 5/8"H x 3/4"T

SIDE	QTY	DESCRIPTION
PLANT-ONS		
right	1	3/4"double compound arch frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 24 3/4"W x 92"H x 3/4"T

QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
FACE FRAME					
1	3"	x 17"	x 3/4"	Top Rail	Red Oak
1	2 1/4"	x 17"	x 3/4"	Center Rail	Red Oak
1	1 1/2"	x 92"	x 3/4"	Right Stile	Red Oak
1	1 1/2"	x 92"	x 3/4"	Left Stile	Red Oak
1	1 1/2"	x 17"	x 3/4"	Bottom Rail	Red Oak

QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
BOX PARTS					
1	24 3/4"	x 92"	x 3/4"	Right Plant-On	see plant-on properties
1	24 1/4"	x 92"	x 3/4"	Left Panel	Red Oak Plywood
1	24 1/4"	x 19"	x 3/4"	Top	Melamine (white 1-sided)

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

ASSEMBLY SHEET FOR CAB 04


QTY	SIZE			PART	MATERIAL	
BOX PARTS (continued)						
1	24 1/4"	x	19"	x 3/4"	Bottom	Melamine (white 1-sided)
5	23 1/4"	x	19"	x 3/4"	Fixed Shelf	Melamine (white 2-sided)
1	19"	x	90 1/4"	x 1/4"	Back	Melamine (white 1-sided)
3	4 3/4"	x	18 1/2"	x 3/4"	Sleeper	Particle Board
1	4 3/4"	x	16"	x 3/4"	Back Toe Kick	Particle Board
1	4 3/4"	x	16"	x 3/4"	Front Toe Kick	Particle Board
3	4"	x	18 1/2"	x 3/4"	Nailer	Particle Board

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 05 [base] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall2]

(W) 36" x (H) 34 1/2" x (D) 24"
 left scribe: 1/4" right scribe: 1/4"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)



OPENING	DESCRIPTION	WIDTH	HEIGHT
OPENINGS			
A	Sink Top	33 1/2"	x 4"
B	Door (pair)	33 1/2"	x 20 1/4"

OPENING	QTY	DESCRIPTION
DOORS / DRAWER-FRONTS		
A	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 34 1/2"W x 5"H x 3/4"T
B	2	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 17 1/8"W x 21 1/4"H x 3/4"T

QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
FACE FRAME					
1	2 1/2"	x 33 1/2"	x 3/4"	Top Rail	Red Oak
1	2 1/4"	x 33 1/2"	x 3/4"	Center Rail	Red Oak
1	1 1/2"	x 33 1/2"	x 3/4"	Bottom Rail	Red Oak
1	1 1/4"	x 30 1/2"	x 3/4"	Right Stile	Red Oak
1	1 1/4"	x 30 1/2"	x 3/4"	Left Stile	Red Oak


BOX PARTS					
1	34 1/2"	x 29 1/4"	x 1/4"	Back	Melamine (white 1-sided)
1	23 1/4"	x 34 1/2"	x 3/4"	Bottom	Melamine (white 1-sided)
1	23 1/4"	x 29 3/4"	x 3/4"	Right Panel	Melamine (white 1-sided)
1	23 1/4"	x 29 3/4"	x 3/4"	Left Panel	Melamine (white 1-sided)
1	4 3/4"	x 36"	x 3/4"	Back Toe Kick	Particle Board
1	4 3/4"	x 36"	x 3/4"	Front Toe Kick	Particle Board
4	4 3/4"	x 17 1/2"	x 3/4"	Sleeper	Particle Board
2	4"	x 34"	x 3/4"	Stretcher	Particle Board
2	4"	x 34"	x 3/4"	Nailer	Particle Board

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 07 [base] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall2]

(W) 24" x (H) 34 1/2" x (D) 24"
 left scribe: 1/4" right scribe: 1/4"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)



OPENING	DESCRIPTION	WIDTH	HEIGHT
OPENINGS			
A	Drawer	21 1/2"	x 4"
B	Drawer	21 1/2"	x 5 1/4"
C	Drawer	21 1/2"	x 5 1/4"
D	Drawer	21 1/2"	x 5 1/4"

OPENING	QTY	DESCRIPTION
DOORS / DRAWER-FRONTS		
D	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 22 1/2"W x 6 1/4"H x 3/4"T
C	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 22 1/2"W x 6 1/4"H x 3/4"T
B	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 22 1/2"W x 6 1/4"H x 3/4"T
A	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 22 1/2"W x 5"H x 3/4"T

QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
FACE FRAME					
1	2 1/2"	x 21 1/2"	x 3/4"	Top Rail	Red Oak
3	2 1/4"	x 21 1/2"	x 3/4"	Center Rail	Red Oak
1	1 1/2"	x 21 1/2"	x 3/4"	Bottom Rail	Red Oak
1	1 1/4"	x 30 1/2"	x 3/4"	Right Stile	Red Oak
1	1 1/4"	x 30 1/2"	x 3/4"	Left Stile	Red Oak


QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
BOX PARTS					
1	23 1/4"	x 29 3/4"	x 3/4"	Right Panel	Melamine (white 1-sided)
1	23 1/4"	x 29 3/4"	x 3/4"	Left Panel	Melamine (white 1-sided)
1	23 1/4"	x 22 1/2"	x 3/4"	Bottom	Melamine (white 1-sided)
1	22 1/2"	x 29 1/4"	x 1/4"	Back	Melamine (white 1-sided)
1	4 3/4"	x 24"	x 3/4"	Back Toe Kick	Particle Board
1	4 3/4"	x 24"	x 3/4"	Front Toe Kick	Particle Board
3	4 3/4"	x 17 1/2"	x 3/4"	Sleeper	Particle Board
2	4"	x 22"	x 3/4"	Stretcher	Particle Board
2	4"	x 22"	x 3/4"	Nailer	Particle Board

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 08 [base] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall2]

(W) 20" x (H) 34 1/2" x (D) 24"
 left scribe: 1/4" right scribe: 1/4"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)



OPENING	DESCRIPTION	WIDTH	HEIGHT
OPENINGS			
A	Drawer	17 1/2"	x 4"
B	Drawer	17 1/2"	x 5 1/4"
C	Drawer	17 1/2"	x 5 1/4"
D	Drawer	17 1/2"	x 5 1/4"

OPENING	QTY	DESCRIPTION
DOORS / DRAWER-FRONTS		
D	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 18 1/2"W x 6 1/4"H x 3/4"T
C	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 18 1/2"W x 6 1/4"H x 3/4"T
B	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 18 1/2"W x 6 1/4"H x 3/4"T
A	1	3/4"slab (horizontal grain)(Red Oak) with edging (Red Oak) SIZE = 18 1/2"W x 5"H x 3/4"T

QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
FACE FRAME					
1	2 1/2"	x 17 1/2"	x 3/4"	Top Rail	Red Oak
3	2 1/4"	x 17 1/2"	x 3/4"	Center Rail	Red Oak
1	1 1/2"	x 17 1/2"	x 3/4"	Bottom Rail	Red Oak
1	1 1/4"	x 30 1/2"	x 3/4"	Right Stile	Red Oak
1	1 1/4"	x 30 1/2"	x 3/4"	Left Stile	Red Oak


QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
BOX PARTS					
1	23 1/4"	x 29 3/4"	x 3/4"	Right Panel	Melamine (white 1-sided)
1	23 1/4"	x 29 3/4"	x 3/4"	Left Panel	Melamine (white 1-sided)
1	23 1/4"	x 18 1/2"	x 3/4"	Bottom	Melamine (white 1-sided)
1	18 1/2"	x 29 1/4"	x 1/4"	Back	Melamine (white 1-sided)
1	4 3/4"	x 20"	x 3/4"	Back Toe Kick	Particle Board
1	4 3/4"	x 20"	x 3/4"	Front Toe Kick	Particle Board
3	4 3/4"	x 17 1/2"	x 3/4"	Sleeper	Particle Board
2	4"	x 18"	x 3/4"	Stretcher	Particle Board
2	4"	x 18"	x 3/4"	Nailer	Particle Board

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

CAB 11 [upper] [Stn File: <<Factory Face Frame Standards>>]
 [room1] [wall2]

(W) 92" x (H) 42" x (D) 12"
 left scribe: 1/4" right scribe: 1/4"

(Overall width and height may not match cabinet width and height. Confirm by checking your measurements.)



OPENING	DESCRIPTION	WIDTH	HEIGHT
OPENINGS			
A	Door (pair)	28 21/64"	x 37 1/2"
B	Door (pair)	28 21/64"	x 37 1/2"
C	Door (pair)	28 21/64"	x 37 1/2"

OPENING	DESCRIPTION	WIDTH	HEIGHT	DADO DEPTH	DADO LOCATION (From bottom of opening)
SHELF OPENINGS					
1C	Open	29 21/64"x	9"	1/4"	27 3/4"
1B	Open	29 21/64"x	8 5/8"	1/4"	18 3/8"
1A	Open	29 21/64"x	8 5/8"	1/4"	9"
2C	Open	29 53/64"x	9"	1/4"	27 3/4"
2B	Open	29 53/64"x	8 5/8"	1/4"	18 3/8"
2A	Open	29 53/64"x	8 5/8"	1/4"	9"
3C	Open	29 21/64"x	9"	1/4"	27 3/4"
3B	Open	29 21/64"x	8 5/8"	1/4"	18 3/8"
3A	Open	29 21/64"x	8 5/8"	1/4"	9"

OPENING	QTY	DESCRIPTION
DOORS / DRAWER-FRONTS		
C	2	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 14 35/64"W x 38 1/2"H x 3/4"T
B	2	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 14 35/64"W x 38 1/2"H x 3/4"T
A	2	3/4"square frame (Red Oak) with raised panel(s) (Red Oak) SIZE = 14 35/64"W x 38 1/2"H x 3/4"T

QTY	WIDTH	LENGTH	THICKNESS	PART	MATERIAL
FACE FRAME					
1	3"	x 89 1/2"	x 3/4"	Top Rail	Red Oak
2	2 1/4"	x 39"	x 3/4"	Mullion Stile	Red Oak
3	1 1/2"	x 28 21/64"	x 3/4"	Bottom Rail	Red Oak
1	1 1/4"	x 42"	x 3/4"	Right Stile	Red Oak
1	1 1/4"	x 42"	x 3/4"	Left Stile	Red Oak

BOX PARTS

Custom Casework Company
 555 Niles Ave.
 Chicago, IL 60007
 312-665-5566

ASSEMBLY SHEET FOR CAB 11

QTY	SIZE			PART	MATERIAL	
BOX PARTS (continued)						
1	90 1/2"	x	40 1/4"	x 1/4"	Back	Melamine (white 1-sided)
1	11 1/4"	x	90 1/2"	x 3/4"	Top	Melamine (white 1-sided)
1	11 1/4"	x	90 1/2"	x 3/4"	Bottom	Melamine (white 1-sided)
1	11 1/4"	x	41 1/4"	x 3/4"	Right Panel	Melamine (white 1-sided)
1	11 1/4"	x	41 1/4"	x 3/4"	Left Panel	Melamine (white 1-sided)
2	10 1/4"	x	39 3/4"	x 3/4"	Partition	Melamine (white 2-sided)
3	10 1/4"	x	30 21/64"	x 3/4"	Fixed Shelf	Melamine (white 2-sided)
6	10 1/4"	x	29 53/64"	x 3/4"	Fixed Shelf	Melamine (white 2-sided)
2	4"	x	90"	x 3/4"	Nailer	Particle Board